

Prof.Dr. UĞUR KAĞAN TEKİN

Kişisel Bilgiler

E-posta: uktekin@hacettepe.edu.tr

Eğitim Bilgileri

Doktora, Leopold Franzens Universitaet Innsbruck, Mühendislik Fakültesi, Jeoloji, Avusturya 1997 - 1999

Yüksek Lisans, Orta Doğu Teknik Üniversitesi, Mühendislik Fakültesi, Türkiye 1985 - 1989

Lisans, Hacettepe Üniversitesi, Mühendislik Fakültesi, Jeoloji Mühendisliği, Türkiye 1980 - 1985

Yabancı Diller

İngilizce, B2 Orta Üstü

Yaptığı Tezler

Yüksek Lisans, Geology of the permian sequence in the gerçüş-2, çelikli-101 kentalan-7, zengon-1 wells, southeast Turkey, Orta Doğu Teknik Üniversitesi, Mühendislik Fakültesi, Jeoloji Mühendisliği Bölümü, 1989

Araştırma Alanları

Jeoloji Mühendisliği , Genel Jeoloji, Paleontoloji (Paleobotani, Omurgalı, Omurgasız), Mühendislik ve Teknoloji

Akademik Unvanlar / Görevler

Prof.Dr., Hacettepe Üniversitesi, Mühendislik Fakültesi, Jeoloji Mühendisliği Bölümü, 2002 - Devam Ediyor

Akademik İdari Deneyim

Hacettepe Üniversitesi, Fen Bilimleri Enstitüsü, Jeoloji Mühendisliği (YI) (Tezli), 2010 - 2012

Yönetilen Tezler

TEKİN U. K. , Doğu pontidler (Trabzon, Bayburt, Erzurum ve Artvin) orta jura ve üst kretase volkano-sedimanter istiflerinin radyolaryaya taksonomisi, biyostratigrafisi ve çökel ortamları, Doktora, H.SOYCAN(Öğrenci), 2017

TEKİN U. K. , Batı Karadeniz (İstanbul), orta (Gazipaşa) ve doğu (Tufanbeyli-Saimbeyli) Toroslar'da erken silüriyen-orta devoniyen istiflerinin konodont taksonomisi, biyostratigrafisi ve çökelme ortamları, Doktora, D.GÜLNUR(Öğrenci), 2017

TEKİN U. K. , Mersin melanji (kb mersin) geç triyas - erken jura yaşlı pelajik istiflerinin radyolaryaya biyostratigrafisi, taksonomisi ve ortamsal yorumlamaları, Doktora, S.UZUNÇİMEN(Öğrenci), 2016

TEKİN U. K. , İzmir ? Ankara ? Erzincan sütur karmaşığı içinde yer alan pelajik çökellerin jura ? erken kretase yaşlı radyolaryaya faunasının taksonomisi ve biyostratigrafisi, Kuzeydoğu ve Güneybatı Çankırı, Kuzey Türkiye, Yüksek Lisans,

S.ÇELİK(Öğrenci), 2010

TEKİN U. K. , Koçali karmaşığı triyas yaşlı pelajik istiflerinin radyolarya biyostratigrafisi ve taksonomisi, Güneydoğu Anadolu, Yüksek Lisans, S.UZUNÇİMEN(Öğrenci), 2010

TEKİN U. K. , Tavas Napı'nın Orta Jura Radyolarya faunasının biyostratigrafisi ve sistematigi, Tavas, Denizli, Güneybatı Anadolu, Yüksek Lisans, H.SOYCAN(Öğrenci), 2009

TEKİN U. K. , Ankara civarı (Alacaatlı, Tahar tepe ve Beytepe) geç jura-en erken kretase yaşlı radyolarya faunasının sistematigi ve biyostratigrafisi, Yüksek Lisans, A.DOĞAN(Öğrenci), 2007

SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- I. **First recovery of late Early Triassic (Spathian) pelagic assemblages (radiolarians and conodonts) from block in the Upper Karakaya Complex near Ankara City, central Turkey: Biostratigraphical remarks and correlation**
TEKİN U. K. , Kamata Y., Krystyn L., Okuyucu C., SAYIT K., Nalbantli M.
JOURNAL OF AFRICAN EARTH SCIENCES, cilt.175, 2021 (SCI İndekslerine Giren Dergi)
- II. **Late Triassic to Early Jurassic radiolarian, conodont and ammonite assemblages from the Tavuscayiri block, Mersin Melange, southern Turkey: Time constraints for the T/J boundary and sedimentary evolution of the southern margin of the northern Neotethys**
TEKİN U. K. , Krystyn L., Okuyucu C., Bedi Y., SAYIT K.
GEODIVERSITAS, cilt.42, sa.27, ss.493-537, 2020 (SCI İndekslerine Giren Dergi)
- III. **Carnian (Upper Triassic) Lavas and Tuffites from the Mersin Melange: Evidence for Intraoceanic Arc Rifting in the Northern Neotethys**
SAYIT K., Bedi Y., TEKİN U. K. , Okuyucu C.
JOURNAL OF GEOLOGY, 2020 (SCI İndekslerine Giren Dergi)
- IV. **Biostratigraphy of Lower Permian foraminiferal assemblages from platform-slope carbonate blocks within the Mersin Melange, southern Turkey: Paleogeographical implications**
Okuyucu C., TEKİN U. K. , Bedi Y., SAYIT K.
GEOBIOS, cilt.59, ss.61-77, 2020 (SCI İndekslerine Giren Dergi)
- V. **Integrated Radiolaria, benthic foraminifera and conodont biochronology of the pelagic Permian blocks/tectonic slices and geochemistry of associated volcanic rocks from the Mersin Melange, southern Turkey: Implications for the Permian evolution of the northern Neotethys**
TEKİN U. K. , OKUYUCU C., SAYIT K., Bedi Y., Noble P. J. , Krystyn L., GÖNCÜOĞLU M. C.
ISLAND ARC, cilt.28, sa.2, 2019 (SCI İndekslerine Giren Dergi)
- VI. **Discovery of a long-term refuge for ostracods (Crustacea) after the end-Permian extinction: a unique Carnian (Late Triassic) fauna from the Mersin Melange, southern Turkey**
Forel M., TEKİN U. K. , Okuyucu C., BEDİ Y., TUNCER A., Crasquin S.
JOURNAL OF SYSTEMATIC PALAEONTOLOGY, cilt.17, sa.1, ss.9-58, 2019 (SCI İndekslerine Giren Dergi)
- VII. **Foraminifera, Radiolaria and Conodont assemblages from the Early Mississippian (late Tournaisian)/Early Pennsylvanian (early Bashkirian) blocks within the Mersin Melange, southern Turkey: Biochronological and paleogeographical implications**
OKUYUCU C., TEKİN U. K. , Noble P. J. , Bedi Y., Saydam-Demiray D. G. , SAYIT K.
PALAEOWORLD, cilt.27, sa.4, ss.438-457, 2018 (SCI İndekslerine Giren Dergi)
- VIII. **The Jurassic-Early Cretaceous basalt-chert association in the ophiolites of the Ankara Melange, east of Ankara, Turkey: age and geochemistry**
Bortolotti V., Chiari M., GÖNCÜOĞLU M. C. , Principi G., Sacconi E., TEKİN U. K. , Tassinari R.
GEOLOGICAL MAGAZINE, cilt.155, sa.2, ss.451-478, 2018 (SCI İndekslerine Giren Dergi)
- IX. **Middle Triassic back-arc basalts from the blocks in the Mersin Melange, southern Turkey: Implications for the geodynamic evolution of the Northern Neotethys**
SAYIT K., BEDİ Y., TEKİN U. K. , GÖNCÜOĞLU M. C. , Okuyucu C.
LITHOS, cilt.268, ss.102-113, 2017 (SCI İndekslerine Giren Dergi)

- X. **Radiolarian biochronology of upper Anisian to upper Ladinian (Middle Triassic) blocks and tectonic slices of volcano-sedimentary successions in the Mersin Melange, southern Turkey: New insights for the evolution of Neotethys**
TEKİN U. K. , Bedi Y., OKUYUCU C., GÖNCÜOĞLU M. C. , SAYIT K.
JOURNAL OF AFRICAN EARTH SCIENCES, cilt.124, ss.409-426, 2016 (SCI İndekslerine Giren Dergi)
- XI. **Middle Carnian Arc-Type Basalts from the Lycian Nappes, Southwestern Anatolia: Early Late Triassic Subduction in the Northern Branch of Neotethys**
SAYIT K., GÖNCÜOĞLU M. C. , TEKİN U. K.
JOURNAL OF GEOLOGY, cilt.123, sa.6, ss.561-579, 2015 (SCI İndekslerine Giren Dergi)
- XII. **LATE CRETACEOUS ARC AND BACK-ARC FORMATION WITHIN THE SOUTHERN NEOTETHYS: WHOLE-ROCK, TRACE ELEMENT AND Sr-Nd-Pb ISOTOPIC DATA FROM BASALTIC ROCKS OF THE YUKSEKOVA COMPLEX (MALATYA- ELAZIG, SE TURKEY)**
Ural M., ARSLAN M., GÖNCÜOĞLU M. C. , TEKİN U. K. , KÜRÜM S.
OFIOLITI, cilt.40, sa.1, ss.57-72, 2015 (SCI İndekslerine Giren Dergi)
- XIII. **Upper Cretaceous Radiolarian ages from an arc-back-arc within the Yuksekova Complex in the southern Neotethys melange, SE Turkey**
TEKİN U. K. , Ural M., GÖNCÜOĞLU M. C. , ARSLAN M., KÜRÜM S.
COMPRES RENDUS PALEVOL, cilt.14, sa.2, ss.73-84, 2015 (SCI İndekslerine Giren Dergi)
- XIV. **The Arkot Dag Melange in Arac area, central Turkey: Evidence of its origin within the geodynamic evolution of the Intra-Pontide suture zone**
GONCUOGLU M. C. , MARRONI M., PANDOLFI L., ELLER A., OTTRIA G., CATANZARITI R., TEKİN U. K. , SAYIT K.
JOURNAL OF ASIAN EARTH SCIENCES, cilt.85, ss.117-139, 2014 (SCI İndekslerine Giren Dergi)
- XV. **AGE AND GEOCHEMISTRY OF BASALT-CHERT ASSOCIATIONS IN THE OPHIOLITES OF THE IZMIR-ANKARA MELANGE EAST OF ANKARA, TURKEY: PRELIMINARY DATA**
Bortolotti V., Chiari M., GÖNCÜOĞLU M. C. , Marcucci M., Principi G., TEKİN U. K. , Saccani E., Tassinari R.
OFIOLITI, cilt.38, sa.2, ss.157-173, 2013 (SCI İndekslerine Giren Dergi)
- XVI. **Taxonomic study of the tetrahedral, pentagonal and hexagonal spongy spumellarian Radiolaria from the middle Carnian (Late Triassic) of the Koseyahya nappe (Elbistan, SE Turkey) and other Triassic localities**
Dumitrica P., TEKİN U. K. , Bedi Y.
PALAEONTOLOGISCHE ZEITSCHRIFT, cilt.87, sa.3, ss.311-343, 2013 (SCI İndekslerine Giren Dergi)
- XVII. **Taxonomic study of spongy spumellarian Radiolaria with three and four coplanar spines or arms from the middle Carnian (Late Triassic) of the Koseyahya nappe (Elbistan, SE Turkey) and other Triassic localities**
Dumitrica P., TEKİN U. K. , Bedi Y.
PALAEONTOLOGISCHE ZEITSCHRIFT, cilt.87, sa.3, ss.345-395, 2013 (SCI İndekslerine Giren Dergi)
- XVIII. **New age data from the tectonostratigraphic units of the Istranca "Massif" in NW Turkey: a correlation with SE Bulgaria**
Bedi Y., Vasilev E., Dabovski C., Ergen A., Okuyucu C., Dogan A., TEKİN U. K. , Ivanova D., Boncheva I., Lakova I., et al.
GEOLOGICA CARPATHICA, cilt.64, sa.4, ss.255-277, 2013 (SCI İndekslerine Giren Dergi)
- XIX. **THE AYLI DAG OPHIOLITE SEQUENCE (CENTRAL-NORTHERN TURKEY): A FRAGMENT OF MIDDLE JURASSIC OCEANIC LITHOSPHERE WITHIN THE INTRA-PONTIDE SUTURE ZONE**
GÖNCÜOĞLU M. C. , Marroni M., SAYIT K., TEKİN U. K. , Ottria G., Pandolfi L., Ellero A.
OFIOLITI, cilt.37, sa.2, ss.77-92, 2012 (SCI İndekslerine Giren Dergi)
- XX. **Middle-Late Triassic radiolarian cherts from the Arkotdag melange in northern Turkey: implications for the life span of the northern Neotethyan branch**
TEKİN U. K. , GÖNCÜOĞLU M. C. , Pandolfi L., Marroni M.
GEODINAMICA ACTA, cilt.25, ss.305-319, 2012 (SCI İndekslerine Giren Dergi)
- XXI. **Radiolarian assemblages of Middle and Late Jurassic to early Late Cretaceous (Cenomanian) ages from an olistolith record pelagic deposition within the Bornova Flysch Zone in western Turkey**
TEKİN U. K. , GÖNCÜOĞLU M. C. , Uzuncimen S.

- BULLETIN DE LA SOCIETE GEOLOGIQUE DE FRANCE, cilt.183, sa.4, ss.307-318, 2012 (SCI İndekslerine Giren Dergi)
- XXII. **Early-middle Carnian radiolarian cherts within the Eymir Unit, Central Turkey: Constraints for the age of the Palaeotethyan Karakaya Complex**
SAYIT K., TEKİN U. K. , GÖNCÜOĞLU M. C.
JOURNAL OF ASIAN EARTH SCIENCES, cilt.42, sa.3, ss.398-407, 2011 (SCI İndekslerine Giren Dergi)
- XXIII. **GEOCHEMICAL AND PETROLOGICAL CHARACTERISTICS OF LATE TRIASSIC BASIC VOLCANIC ROCKS FROM THE KOCALI COMPLEX, SE TURKEY: IMPLICATIONS FOR THE TRIASSIC EVOLUTION OF SOUTHERN TETHYS**
Varol E., Bedi Y., TEKİN U. K. , Uzuncimen S.
OFIOLITI, cilt.36, sa.1, ss.101-115, 2011 (SCI İndekslerine Giren Dergi)
- XXIV. **Discovery of the Late Triassic (Middle Carnian-Rhaetian) radiolarians in the volcano-sedimentary sequences of the Kocali Complex, SE Turkey: Correlation with the other Tauride units**
Uzuncimen S., TEKİN U. K. , Bedi Y., PERİNÇEK D., Varol E., Soycan H.
JOURNAL OF ASIAN EARTH SCIENCES, cilt.40, sa.1, ss.180-200, 2011 (SCI İndekslerine Giren Dergi)
- XXV. **Devonian radiolarian ribbon cherts from the Karakaya Complex, Northwest Turkey: Implications for the Paleo-Tethyan evolution**
Okay A., Noble P. J. , TEKİN U. K.
COMPTEs RENDUS PALEVOL, cilt.10, sa.1, ss.1-10, 2011 (SCI İndekslerine Giren Dergi)
- XXVI. **Eptingiacea and Saturnaliacea (Radiolaria) from the middle Carnian of Turkey and some late Ladinian to early Norian samples from Oman and Alaska**
Dumitrica P., TEKİN U. K. , Bedi Y.
PALAEONTOLOGISCHE ZEITSCHRIFT, cilt.84, sa.2, ss.259-292, 2010 (SCI İndekslerine Giren Dergi)
- XXVII. **Cenomanian - Turonian Oceanic Anoxic Event (OAE2) in the Sakarya Zone, northwestern Turkey: Sedimentological, cyclostratigraphic, and geochemical records**
YILMAZ İ. Ö. , ALTINER D., TEKİN U. K. , Tuysuz O., OCAKOĞLU F., Acikalin S.
CRETACEOUS RESEARCH, cilt.31, sa.2, ss.207-226, 2010 (SCI İndekslerine Giren Dergi)
- XXVIII. **Oceanization of the northern Neotethys: Geochemical evidence from ophiolitic melange basalts within the Izmir-Ankara suture belt, NW Turkey**
GÖNCÜOĞLU M. C. , SAYIT K., TEKİN U. K.
LITHOS, cilt.116, ss.175-187, 2010 (SCI İndekslerine Giren Dergi)
- XXIX. **Late Ladinian radiolarians from the Tahtalidag Nappe of the Antalya nappes, SW Turkey: remarks on the late Middle and Late Triassic evolution of the Tahtalidag Nappe**
TEKİN U. K. , Sonmez I.
ACTA GEOLOGICA POLONICA, cilt.60, sa.2, ss.199-217, 2010 (SCI İndekslerine Giren Dergi)
- XXX. **Late Middle Jurassic (Late Bathonian-early Callovian) radiolarian cherts from the Neotethyan Bornova flysch zone, Spil Mountains, Western Turkey**
TEKİN U. K. , GÖNCÜOĞLU M. C.
STRATIGRAPHY AND GEOLOGICAL CORRELATION, cilt.17, sa.3, ss.298-308, 2009 (SCI İndekslerine Giren Dergi)
- XXXI. **NEW DATA ON THE EVOLUTION OF THE NEOTETHYAN OCEANIC BRANCHES IN TURKEY: LATE JURASSIC RIDGE SPREADING IN THE INTRA-PONTIDE BRANCH**
GÖNCÜOĞLU M. C. , Guersu S., TEKİN U. K. , KÖKSAL S.
OFIOLITI, cilt.33, sa.2, ss.153-164, 2008 (SCI İndekslerine Giren Dergi)
- XXXII. **Middle to Upper Tournasian radiolaria of the Baltalimani Formation, Istanbul, Turkey**
Noble P. J. , TEKİN U. K. , Gedik I., Pehlivani S.
JOURNAL OF PALEONTOLOGY, cilt.82, sa.1, ss.37-56, 2008 (SCI İndekslerine Giren Dergi)
- XXXIII. **Discovery of the oldest (upper Ladinian to middle Carnian) radiolarian assemblages from the Bornova Flysch Zone in western Turkey: Implications for the evolution of the Neotethyan Izmir-Ankara ocean**
TEKİN U. K. , Goncuoglu M. C.
OFIOLITI, cilt.32, sa.2, ss.131-150, 2007 (SCI İndekslerine Giren Dergi)

- XXXIV. **Age and geochemistry of middle to late Carnian basalts from the Alakircay NAPPE (Antalya Nappes, SW Turkey): Implications for the evolution of the southern branch of Neotethys**
Varol E., TEKİN U. K. , TEMEL A.
OFIOLITI, cilt.32, sa.2, ss.163-176, 2007 (SCI İndekslerine Giren Dergi)
- XXXV. **Timing of imbrication of an active continental margin facing the northern branch of Neotethys, Kargı Massif, northern Turkey**
Tueysuez O., Tekin U. K.
CRETACEOUS RESEARCH, cilt.28, sa.5, ss.754-764, 2007 (SCI İndekslerine Giren Dergi)
- XXXVI. **The Mississippian in the Central and Eastern Taurides (Turkey): constraints on the tectonic setting of the Tauride-Anatolide Platform**
Goencueoglu M. C. , Capkinoglu S., Guersu S., Noble P., Turhan N., Tekin U. K. , Okuyucu C., Goencueoglu Y.
GEOLOGICA CARPATHICA, cilt.58, sa.5, ss.427-442, 2007 (SCI İndekslerine Giren Dergi)
- XXXVII. **Middle Carnian (Late triassic) Nassellaria (Radiolaria) of Koseyahya NAPPE from eastern Taurides, Eastern Turkey**
Tekin U. K. , Bedi Y.
RIVISTA ITALIANA DI PALEONTOLOGIA E STRATIGRAFIA, cilt.113, sa.2, ss.167-190, 2007 (SCI İndekslerine Giren Dergi)
- XXXVIII. **Ruesticyrthiidae (Radiolaria) from the middle Carnian (Late Triassic) of Koseyahya Nappe (Elbistan, eastern Turkey)**
Tekin U. K. , Bedi Y.
GEOLOGICA CARPATHICA, cilt.58, sa.2, ss.153-167, 2007 (SCI İndekslerine Giren Dergi)

Diğer Dergilerde Yayınlanan Makaleler

- I. **Radiolaria radiolarites and applications a tribute to Nutthawut Wonganan**
CARIDROIT M., TEKİN U. K. , BRAGIN N.
Revue de Micropaléontologie, cilt.59, sa.4, ss.295-296, 2016 (Diğer Kurumların Hakemli Dergileri)
- II. **Trimeridianellidae nov fam a Triassic spumellarian radiolarian family with simple initial skeleton and pyloniacean mode of growth**
Paulian D., TEKİN U. K.
Revue de micropaléontologie, cilt.57, sa.2, ss.45-56, 2014 (Diğer Kurumların Hakemli Dergileri)

Kitap & Kitap Bölümleri

- I. **RADIOLARIA Newsletter of the International Association of Radiolarists**
TEKİN U. K. , TUNCER A.
INTERRAD, 2015

Hakemli Kongre / Sempozyum Bildiri Kitaplarında Yer Alan Yayınlar

- I. **Radiolarian rich, siliceous interval within Hauterivian pelagic succession in the central Sakarya, Pontides, NW Turkey**
YILMAZ İ. Ö. , TEKİN U. K.
JK 2018, Cenevre, İsviçre, 5 - 07 Aralık 2018
- II. **Lower Permian Mafic Lavas from the Mersin Mélange (Southern Turkey): Geochemical Evidence for the Evolution of Northern Neotethys**
SAYIT K., BEDİ Y., TEKİN U. K. , GÖNCÜOĞLU M. C. , OKUYUCU C.
Goldschmidt2018, 12 - 17 Ağustos 2018

- III. **Foraminiferal fauna of Middle Permian blocks/tectonic slices from the Mersin Mélange, southern Turkey**
OKUYUCU C., TEKİN U. K., BEDİ Y., GÖNCÜOĞLU M. C., SAYIT K.
IWFC2018, 19 - 21 Mart 2018
- IV. **The Jurassic-Early Cretaceous basalt-chert association in the ophiolites of the Ankara Mélange east of Ankara, Turkey: age and geochemistry**
VV B., CHIARI M., GÖNCÜOĞLU M. C., GG P., SACCANI E., TEKİN U. K., TASSINARI R.
The 15th Meeting of the International Association of Radiolarists, 20 - 29 Ekim 2017
- V. **New evidence of Middle Triassic (late Anisian to late Ladinian) radiolarians from blocks of pelagic volcanosedimentary successions in the Mersin Mélange, southern Turkey: Implications for the evolution of Neotethyan Izmir-Ankara-Ocean**
TEKİN U. K., BEDİ Y., OKUYUCU C., GÖNCÜOĞLU M. C., SAYIT K.
The 15th Meeting of the International Association of Radiolarists, 20 - 29 Ekim 2017
- VI. **The tectonostratigraphic characteristics of autochthonous and allochthonous sequences exposed among Tufanbeyli (Adana), Elbistan (K. Maraş) and Malatya, Eastern Taurides)**
BEDİ Y., YUSUFOĞLU H., TEKİN U. K., USTA D.
70th Geological Congress of Turkey, 10 - 14 Nisan 2017, ss.22-23
- VII. **Upper Cretaceous stratigraphy of the Istranca Crystalline Complex (Northwest Turkey) and correlation with sequences in Southeast Bulgaria**
BEDİ Y., DOĞAN A., TEKİN U. K., AYDIN A., ERDOĞAN K.
70th Geological Congress of Turkey, 10 - 14 Nisan 2017, ss.638-639
- VIII. **Early Bashkirian (Early Pennsylvanian) Fusulinid Foraminifera from the blocks within Mersin Mélange, southern Turkey: Faunal correlation and geological implications**
OKUYUCU C., TEKİN U. K., BEDİ Y., SAYIT K., GÖNCÜOĞLU M. C.
GEOBALCANICA, 01 Nisan 2017
- IX. **Geochemical discrimination of a Late Cretaceous intra arc and back arc system within the Troodos Bitlis Zagros branch of Neotethys in East Anatolia**
URAL M., GÖNCÜOĞLU M. C., ARSLAN M., TEKİN U. K., KÜRÜM S.
7th Geochemistry Symposium, 16 - 18 Mayıs 2016
- X. **Early Late Triassic Subduction in the Northern Branch of Neotethys Petrological and paleontological constraints from the middle Carnian basalts in the Lycian Nappes**
SAYIT K., GÖNCÜOĞLU M. C., TEKİN U. K.
AGU Fall Meeting 2015, 16 - 18 Aralık 2015
- XI. **Istranca Kristalen Kompleksinin tektonostratigrafik özellikleri KB Türkiye GD Bulgaristan**
YAVUZ B., ERGEN A., ADİL D., ERCAN T., BOZKURT A., TEKİN U. K., OKUYUCU C., GÖNCÜOĞLU M. C.
MTA 80. Yıl Sempozyumu, Türkiye, 8 - 10 Aralık 2015
- XII. **Evolution of the Neotethyan branches in the Eastern Mediterranean Petrology and ages of oceanic basalts**
GÖNCÜOĞLU M. C., TEKİN U. K., SAYIT K., YAVUZ B., UZUNÇİMEN KEÇELİ S.
The 4th Symposium of the International Geosciences Programme (IGCP) 589, 26 Ekim - 01 Kasım 2015
- XIII. **Geochemistry of the mafic lavas from the Mersin mélange Implications for the Middle Triassic subduction in the Neotethys**
SAYIT K., BEDİ Y., TEKİN U. K., GÖNCÜOĞLU M. C., OKUYUCU C., UZUNÇİMEN KEÇELİ S.
Goldschmidt2015, 16 - 21 Ağustos 2015
- XIV. **Foraminiferal fauna of some Carboniferous Permian blocks from the Mersin Melange central Taurus southern Turkey A correlation with carbonate successions in adjacent Tauride tectonic units**
OKUYUCU C., TEKİN U. K., YAVUZ B., GÖNCÜOĞLU M. C., SAYIT K., UZUNÇİMEN KEÇELİ S.
XVIII Congress on the Carboniferous and Permian, 11 - 15 Ağustos 2015
- XV. **ORTA SAKARYA BÖLGESİ NİN GEÇ KRETASE GEÇ EOSEN SEKANS STRATİGRAFİK EVRİMİ**
OCAKOĞLU F., SANEM A., YILMAZ İ. Ö., AYNUR H., ALTINER S., TEKİN U. K., BÜYÜKMERİÇ Y.
68. Türkiye Jeoloji Kurultayı, Türkiye, 6 - 10 Nisan 2015

- XVI. **BORNOVA FİLİŞ ZONU NUN MESOZOYİK KARBONAT BLOKLARI NEREDEN TÜREMİŞTİR BLOKLARIN KORELASYONU VE TEKTONİK ANLAM**
İSMAİL I., OKAY A., ALTINER S., OKAY N., TEKİN U. K.
68. Türkiye Jeoloji Kurultayı, Türkiye, 6 - 10 Nisan 2015
- XVII. **Radiolarian biostratigraphy and geochemistry of the ophiolitic complexes of the Izmir Ankara Mélange Turkey**
VALERIO B., MARCO C., GÖNCÜOĞLU M. C. , MARTA M., GIANFRANCO P., EMÍLIO S., TEKİN U. K. , RENZO T.
The 14th Meeting of the International Association of Radiolarists, 22 - 26 Mart 2015
- XVIII. **Opening evolution and closure of the Neotethyan Oceanic Branches in Anatolia as inferred by radiolarian research**
GÖNCÜOĞLU M. C. , TEKİN U. K. , SAYIT K., YAVUZ B., UZUNÇİMEN KEÇELİ S.
The 14th Meeting of the International Association of Radiolarists Abstracts, 88-89., 22 - 26 Mart 2015
- XIX. **Sedimentology and palynofacies of the Triassic Gokdere type pelagic succession in western Taurides Southern Turkey implications for palaeogeographic reconstruction**
SÍMONETTA C., ROSANNA M., TEKİN U. K. , AMÍLIA S.
Evolution of the Black Sea to Central Asia Tethyan Realm since the Late Paleozoic, DARIUS Final Symposium, 8 - 09 Ekim 2014
- XX. **Petrological and paleontological evidence for generation of the Arc Back Arc system within the closing Southern Branch of Neotethys during Late Cretaceous**
URAL M., GÖNCÜOĞLU M. C. , ARSLAN M., TEKİN U. K. , KÜRÜM S.
Proceedings XX Congress of the Carpathian-Balkan Geological Association, 24 - 26 Eylül 2014
- XXI. **Age and geochemistry of basalt chert associations in the ophiolites of the Izmir Ankara Mélange east of Ankara Turkey**
VALERIO B., MARCO C., GÖNCÜOĞLU M. C. , MARTA M., PRÍNCİPÍ G., EMÍLIO S., TEKİN U. K. , RENZO T.
XX Congress of the Carpathian-Balkan Geological Association, 24 - 26 Eylül 2014
- XXII. **The Arkot Dag Melange central Turkey Evidence for the geodynamic evolution of the Intra Pontide suture zone**
LUCA P., GÖNCÜOĞLU M. C. , MÍCHELE M., Alessandro E., Giuseppe O., Rita C., TEKİN U. K. , SAYIT K.
Proceedings XX Congress of the Carpathian-Balkan Geological Association, 24 - 26 Eylül 2014
- XXIII. **Tectono magmatic discrimination and radiolarian ages of basic extrusives in the SE Anatolian Suture Belt Elazığ Malatya Eastern Turkey**
URAL M., TEKİN U. K. , GÖNCÜOĞLU M. C. , KÜRÜM S., ARSLAN M.
Proceedings XX Congress of the Carpathian-Balkan Geological Association, 24 - 26 Eylül 2014
- XXIV. **Geochemical and petrological characteristics of the Carnian Basic volcanic rocks from the Alakircay Nappe of the Antalya Nappes, SW Turkey**
Varol E., TEKİN U. K. , TEMEL A.
Conference on Goldschmidt 2010 - Earth, Energy, and the Environment, Tennessee, Amerika Birleşik Devletleri, 13 - 18 Haziran 2010, cilt.74

Desteklenen Projeler

- ÖZSAYIN E., ÜNER S., TEKİN U. K. , BAYRAM L., Yükseköğretim Kurumları Destekli Proje, Dinar Fayının Kinematik Özellikleri ve Bölge Depremselliğindeki Önemi, 2018 - 2020
- TEKİN U. K. , Yükseköğretim Kurumları Destekli Proje, Mersin Melanjı bloklarından Orta Triyas yay ardı bazaltları: Kuzey Neotetis'in jeodinamik evrimine etkileri, 2017 - 2017
- TEKİN U. K. , OKUYUCU C., TUNCER A., ÖZSAYIN E., Yükseköğretim Kurumları Destekli Proje, Beyşehir Hoyran Napları Boyalıtepe İstifinin Orta Toroslar Radyolaria biyokronolojisi ve diğer yapısal birimlerle karşılaştırılması, 2016 - 2017
- TEKİN U. K. , Yükseköğretim Kurumları Destekli Proje, Güneybatı Anadolu Likya naplarında orta Karniyen yay tipi bazaltları Neotetisin kuzey kolunda erken Geç Triyas dalma batması, 2016 - 2016
- TEKİN U. K. , Yükseköğretim Kurumları Destekli Proje, Orta Türkiye Arac Bölgesi Arkot Dag Melanjı: IntraPontid sutur

zonunun jeodinamik evrimi içinde melanjin kökenine dair kanıtlar, 2015 - 2016

TEKİN U. K. , UZUNÇİMEN KEÇELİ S., Yükseköğretim Kurumları Destekli Proje, MERSİN MELANJİ (KB MERSİN) GEÇ TRİYAS - ERKEN JURA YAŞLI PELAJİK İSTİFLERİNİN RADYOLARYA BİYOSTRATİGRAFİSİ, ORTAMSAL VE PALEOCOĞRAFİK YORUMLAMALARI, 2014 - 2016

TEKİN U. K. , TÜBİTAK Projesi, Mersin Melanjlarında Orta Toroslar Güney Anadolu Yer Alan Sedimanter Birimlerin Radyolarya ve Diğer Faunalara Konodont Ammonit ve Foraminifera Bağlı Olarak Yaşlandırılması ve Volkanik Volkanosedimanter Birimlerin Jeokimyası Petrografisi, 2013 - 2016

TUNOĞLU C., UZUNÇİMEN S., TEKİN U. K. , TUNCER A., Yükseköğretim Kurumları Destekli Proje, Hacettepe Üniversitesi Paleontoloji Laboratuvarının Niteliklerinin Geliştirilmesi, 2015 - 2015

Atıflar

Toplam Atıf Sayısı (WOS):685

h-indeksi (WOS):18